

Suggested List Price Standard Equipment and Accessories

Effective: November 1, 2015



TABLE OF CONTENTS

Cube Ice Machines.....3-12
 Standard Remotes.....7
 QuietQube® Remotes & Ice Beverage.....8-9
 Flake Ice Machines.....10-11
 Nugget Ice Machines.....11-12
 Dispensers.....13
 Ice Storage Bins.....14
 Bin Adapters & Deflector Kits.....15-16
 Accessories.....17-19

NOTATIONS

Shipping weights are approximate.

TERMS

Terms

Terms are as Company may extend to purchaser.

Terms for Parts

C.O.D. (Deviation on authorization of Credit Department only.)

Returned Parts

Will not serve as an offset for accounting purposes. Credits for returned parts are issued by our Parts Department after inspection of returned defective parts indicates a credit is in order.

Prices

Prices are F.O.B. Manitowoc, Wisconsin. All prices and specifications are subject to change without notice.

COMMERCIAL WARRANTY

Warranty - Cube Ice Machine

- 5-year parts-and-labor coverage on Indigo, S, U, QQ and IB-model ice machine evaporators.
- 5-year parts and 3-year labor coverage on Indigo, S, U, QQ and IB-model ice machine compressor.
- 3-year parts-and-labor coverage on all dispensers, storage bins, and Indigo, S, U, QQ and IB-model ice cube machines.

Warranty - QM Series Ice Machine

- 3-year parts-and-labor coverage on all components.

Warranty - SM/BG Series Ice Machine

- 3-year parts-and-labor coverage on all components.

Warranty - RF/RFS/RN/RNS Ice Machines

- 3-year parts.
- 2-year labor.
- Compressor parts for 5 years and labor for 2 years.

Warranty - Countertop Nugget Dispenser Ice Machines (RNS12/20)

- 2-year parts-and-labor coverage on all components.
- Compressor parts for 5 years and labor for 2 years.

RESIDENTIAL WARRANTY

Warranty - All Ice Machines

- 1-year parts-and-labor


ICE STYLES

- Dice Cube7/8" x 7/8" x 7/8"
100% ice to water ratio.
- Half Dice Cube3/8" x 1-1/8" x 7/8"
100% ice to water ratio.
- Regular Cube.....1-1/8" x 1-1/8" x 7/8"
100% ice to water ratio.
- Gourmet Cube1-3/8" x 1-3/8" octagon shape cube (SM-50 model). 100% ice to water ratio.
- Large Gourmet2" tall x 1-1/2" wide x 1-3/4" thick. 60 grams, 100% ice to water ratio.
- Nugget Ice.....Countertop, Under-counter and Modular Ice Makers 3/8" to 1/2" pieces 90% ice to water ratio.
- Tubular
Nugget IceModular Ice Makers 5/8" cylindrical 90% ice to water ratio.
- Flake IceFlake ice is smaller bits of ice. 73% ice to water ratio.

ICE STORAGE CAPACITY


The calculation used to determine actual ice storage capacity varies among manufacturers, most use the AHRI standard. When the AHRI standard is not referenced, use cubic feet capacity for accurate comparison between manufacturer's models.







DIMENSION DRAWINGS



Height includes legs set at 6.00".
 Legs adjust from 6.00" to 7.50".

HOW TO READ A MODEL NUMBER




	Model	Condenser Type	Cube Size	Shipping Weight	115/60/1 -161	208-230/60/1 -261	
SM-50		SM-50A	Air Cooled	Standard Octagon	114 lbs.	\$3,603	
	W 14.75" D 22.75" H 33.5" *53 lbs. daily at 70/50° *44 lbs. daily at 90/70°	Ice storage capacity 25 lbs. Includes AR-2800 water filter. Drain pump available as accessory (K-00376). Includes 6' power cord with NEMA 5-15P plug. Not compatible with AuCS. IMPORTANT NOTE: Use only Metal Safe Cleaner 000000084 on this product. Other cleaners will damage the evaporator and will not be covered under warranty.					
QM-30/QM-45		QM-30A	Air Cooled	Dice	109 lbs.	\$3,641	
	W 19.69" D 22.34" H 36" QM-30: *60 lbs. daily at 70/50° *49 lbs. daily at 90/70° QM-45: *95 lbs. daily at 70/50° *62 lbs. daily at 90/70°	QM-45A	Air Cooled	Dice	114 lbs.	\$4,346	
		Ice storage capacity 30 lbs. Includes 6' power cord with NEMA 5-15P plug. Not compatible with AuCS.					
U-140 / U-190		UR-0140A	Air Cooled	Regular	153 lbs.	\$3,942★	
		UD-0140A	Air Cooled	Dice	153 lbs.	\$3,942★	\$3,992★
		UD-0140W	Water Cooled	Dice	153 lbs.	\$3,942	
		UY-0140A	Air Cooled	Half Dice	153 lbs.	\$3,942★	\$3,992★
		UY-0140W	Water Cooled	Half Dice	153 lbs.	\$3,942	
		UR-0190A	Air Cooled	Regular	153 lbs.	\$4,144★	
		UD-0190A	Air Cooled	Dice	153 lbs.	\$4,144★	\$4,194★
W 26.00" D 28.00" H 38.50" U-140: *132 lbs. daily at 70/50° *95 lbs. daily at 90/70° U-190: *198 lbs. daily at 70/50° *140 lbs. daily at 90/70°	Ice storage capacity up to 90 lbs. Includes 6' power cord with NEMA 5-15P plug. Not compatible with AuCS. LuminIce® compatible as accessory (K-00452).						
U-240		UR-0240A	Air Cooled	Regular	157 lbs.	\$4,647★	\$4,697★
		UD-0240A	Air Cooled	Dice	157 lbs.	\$4,647★	\$4,697★
		UD-0240W	Water Cooled	Dice	160 lbs.	\$4,647	\$4,697
		UY-0240A	Air Cooled	Half Dice	159 lbs.	\$4,647★	\$4,697★
		UY-0240W	Water Cooled	Half Dice	159 lbs.	\$4,647	\$4,697
W 26.00" D 28.00" H 38.50" *225 lbs. daily at 70/50° *160 lbs. daily at 90/70°	Ice storage capacity 80 lbs. Includes 6' power cord with NEMA 5-15P plug. Not compatible with AuCS. LuminIce® compatible as accessory (K-00452).						
U-310		UR-0310A	Air Cooled	Regular	208 lbs.	\$5,520★	
		UD-0310A	Air Cooled	Dice	208 lbs.	\$5,520★	\$5,570★
		UD-0310W	Water Cooled	Dice	211 lbs.	\$5,520	
		UY-0310A	Air Cooled	Half Dice	209 lbs.	\$5,520★	\$5,570★
		UY-0310W	Water Cooled	Half Dice	211 lbs.	\$5,520	
W 30.00" D 28.00" H 38.50" *304 lbs. daily at 70/50° *235 lbs. daily at 90/70°	Ice storage capacity 100 lbs. Includes 6' power cord with NEMA 5-15P plug. Not compatible with AuCS. LuminIce® compatible as accessory (K-00452).						
BG-260		BG-0260A	Air Cooled	Large Gourmet	325 lbs.	\$8,000	
W 33.1" D 29.2" H 47.3" *313 lbs. daily at 70/50° *253 lbs. daily at 90/70°	Ice storage capacity 143 lbs. Includes 6' power cord with 20A plug. Use cleaner (000000084) only with this model. Not compatible with AuCS or LuminIce.						

★ **ENERGY STAR® Qualified Model**

Air filter standard on self-contained air-cooled ice cube machines.

*Daily ice production based Dice air-cooled condenser model at air temperature/water temperature.

i-300 Series



W 30" D 24.50" H 16.50"

*310 lbs. daily at 70/50°

*235 lbs. daily at 90/70°

Model	Condenser Type	Cube Size	Shipping Weight	115/60/1 -161	208-230/60/1 -261
ID-0302A	Air Cooled	Dice	142 lbs.	\$5,144★	\$5,194★
ID-0303W	Water Cooled	Dice	139 lbs.	\$5,144	\$5,194
IY-0304A	Air Cooled	Half-Dice	147 lbs.	\$5,144★	\$5,194★
IY-0305W	Water Cooled	Half-Dice	144 lbs.	\$5,144	\$5,194

Optional Configurations:

LuminIce® Growth Inhibitor (Add "X" to end of model number)

+ \$604

+ \$604




Recommended Bins: B-170 or B-400 (see page 14).

See pages 13, 15 & 16 for required adapters, deflectors, and dispenser baffles.

Not Stackable

i-322 Series



W 22" D 24.50" H 21.50"

*350 lbs. daily at 70/50°

*230 lbs. daily at 90/70°

ID-0322A	Air Cooled	Dice	137 lbs.	\$5,303	\$5,353
ID-0323W	Water Cooled	Dice	131 lbs.	\$5,303	\$5,353
IY-0324A	Air Cooled	Half-Dice	136 lbs.	\$5,303	\$5,353
IY-0325W	Water Cooled	Half-Dice	135 lbs.	\$5,303	\$5,353

Optional Configurations:

LuminIce® Growth Inhibitor (Add "X" to end of model number)

+ \$604

+ \$604

High Pressure Water Valve (Add "HP" to end of water-cooled model number)

+ \$855




Recommended Bins: B-320 or B-420 (see page 14).

See pages 13, 15 & 16 for required adapters and dispenser baffles.

Not Stackable

i-450 Series



W 30" D 24.50" H 21.50"

*450 lbs. daily at 70/50°

*335 lbs. daily at 90/70°

ID-0452A	Air Cooled	Dice	160 lbs.	\$5,697★	\$5,747★
ID-0453W	Water Cooled	Dice	141 lbs.	\$5,697	\$5,747
IY-0454A	Air Cooled	Half-Dice	170 lbs.	\$5,697★	\$5,747★
IY-0455W	Water Cooled	Half-Dice	155 lbs.	\$5,697	\$5,747

Optional Configurations:

LuminIce® Growth Inhibitor (Add "X" to end of model number)

+ \$604

+ \$604

Correctional Model (Add "P" to end of model number)

+ \$843

+ \$843

High Pressure Water Valve (Add "HP" to end of water-cooled model number)

+ \$855




Recommended Bins: B-400 or B-570 (see page 14).

See pages 13, 15 & 16 for required adapters, deflectors, and dispenser baffles.

Not Stackable

MODULAR CUBE

i-522 Series



W 22" D 24.50" H 21.50"

*485 lbs. daily at 70/50°

*360 lbs. daily at 90/70°

IR-0520A	Air Cooled	Regular	143 lbs.	\$5,559	\$5,609
IR-0521W	Water Cooled	Regular	140 lbs.	\$5,559	\$5,609
ID-0522A	Air Cooled	Dice	143 lbs.	\$5,559	\$5,609
ID-0523W	Water Cooled	Dice	140 lbs.	\$5,559	\$5,609
IY-0524A	Air Cooled	Half-Dice	145 lbs.	\$5,559	\$5,609
IY-0525W	Water Cooled	Half-Dice	140 lbs.	\$5,559	\$5,609

Optional Configurations:

LuminIce® Growth Inhibitor (Add "X" to end of model number)

+ \$604

+ \$604

Correctional Model (Add "P" to end of model number)

+ \$843

+ \$843

High Pressure Water Valve (Add "HP" to end of water-cooled model number)

+ \$855




Recommended Bins: B-320 or B-420 (see page 14).

See pages 13, 15 & 16 for required adapters and dispenser baffles.

Not Stackable

i-500 Series



W 30" D 24.50" H 21.50"

*560 lbs. daily at 70/50°

*410 lbs. daily at 90/70°

IR-0500A	Air Cooled	Regular	162 lbs.	\$5,914★	\$5,964★
IR-0501W	Water Cooled	Regular	158 lbs.	\$5,914	\$5,964
ID-0502A	Air Cooled	Dice	157 lbs.	\$5,914★	\$5,964★
ID-0503W	Water Cooled	Dice	163 lbs.	\$5,914	\$5,964
ID-0592N	Remote Air ¹	Dice	164 lbs.	\$5,778	
IY-0504A	Air Cooled	Half-Dice	159 lbs.	\$5,914★	\$5,964
IY-0505W	Water Cooled	Half-Dice	161 lbs.	\$5,914	\$5,964
IY-0594N	Remote Air ¹	Half-Dice	161 lbs.	\$5,778	

Optional Configurations:

LuminIce® Growth Inhibitor (Add "X" to end of model number)

+ \$604

+ \$604

High Pressure Water Valve (Add "HP" to end of water-cooled model number)

+ \$855



Recommended Bins: B-400, B-570 or F-700 (see page 14).

See pages 13, 15 & 16 for required adapters, deflectors, and dispenser baffles.


¹Use JC-0495 remote condenser and RT()R-404A tubing kit (see page 7).

Not Stackable

★ ENERGY STAR® Qualified Model

*Daily ice production based on Half-Dice air-cooled model at air temperature/water temperature.

i-606 Series



W 30" D 24.50" H 21.50"
 *635 lbs. daily at 70/50°
 *555 lbs. daily at 90/70°

Model	Condenser Type	Cube Size	Shipping Weight	208-230/60/1-261	208-230/60/3-263
ID-0606A	Air Cooled	Dice	194 lbs.	\$6,965★	
ID-0606W	Water Cooled	Dice	194 lbs.	\$6,965	
ID-0696N	Remote Air ¹	Dice	214 lbs.	\$6,826★	
IY-0606A	Air Cooled	Half Dice	208 lbs.	\$6,965★	
IY-0606W	Water Cooled	Half Dice	195 lbs.	\$6,965	
IY-0696N	Remote Air ¹	Half Dice	221 lbs.	\$6,826★	

Optional Configurations:


LuminIce® Growth Inhibitor (Add "X" to end of model number) + \$604
Correctional Model (Add "P" to end of model number) + \$843



Not Stackable

Recommended Bins: B-400, B-570 or F-700 (see page 14).
 See pages 13, 15 & 16 for required adapters, deflectors, and dispenser baffles.
¹Use JC-0895 remote condenser and RT()R-404A tubing kit (see page 7).
 Kit K00347 ice deflector must be ordered separately if used with: non-Manitowoc bins, Manitowoc F-Style bins and Manitowoc B-750, B-1050, B-1100, and B-1400 bins.

i-906 Series



W 30" D 24.50" H 26.50"
 *901 lbs. daily at 70/50°
 *710 lbs. daily at 90/70°

IR-0906A	Air Cooled	Regular	213 lbs.	\$8,691★	\$8,891★
IR-0906W	Water Cooled	Regular	232 lbs.	\$8,691	\$8,891
IR-0996N	Remote Air ¹	Regular	232 lbs.	\$8,556★	\$8,756★
ID-0906A	Air Cooled	Dice	214 lbs.	\$8,691	\$8,891★
ID-0906W	Water Cooled	Dice	212 lbs.	\$8,691	\$8,891
ID-0996N	Remote Air ¹	Dice	221 lbs.	\$8,556★	\$8,756★
IY-0906A	Air Cooled	Half Dice	218 lbs.	\$8,691★	\$8,891★
IY-0906W	Water Cooled	Half Dice	218 lbs.	\$8,691	\$8,891
IY-0996N	Remote Air ¹	Half Dice	218 lbs.	\$8,556★	\$8,756★

Optional Configurations:


LuminIce® Growth Inhibitor (Add "X" to end of model number) + \$604 + \$604



Not Stackable

Recommended Bins: B-570, B-970 or F-1300 (See page 14).
 See pages 13, 15 & 16 for required adapters, deflectors, and dispenser baffles.
¹Use JC-0995 remote condenser and RT()R-404A tubing kit (see page 7).
 Kit K00347 ice deflector must be ordered separately if used with: non-Manitowoc bins, Manitowoc F-Style bins and Manitowoc B-750, B-1050, B-1100, and B-1400 bins.

i-1106 Series



W 30" D 24.50" H 29.50"
 *1200 lbs. daily at 70/50°
 *870 lbs. daily at 90/70°

ID-1106A	Air Cooled	Dice	232 lbs.	\$9,854★	\$10,054★
ID-1106W	Water Cooled	Dice	228 lbs.	\$9,854	\$10,054
ID-1196N	Remote Air ¹	Dice	228 lbs.	\$9,727★	\$9,927★
IY-1106A	Air Cooled	Half Dice	241 lbs.	\$9,854★	\$10,054★
IY-1106W	Water Cooled	Half Dice	238 lbs.	\$9,854	\$10,054
IY-1196N	Remote Air ¹	Half Dice	236 lbs.	\$9,727★	\$9,927★

Optional Configurations:


LuminIce® Growth Inhibitor (Add "X" to end of model number) + \$604 + \$604
Correctional Model (Add "P" to end of model number) + \$843 + \$843



Not Stackable

Recommended Bins: B-570, C-730S, B-970, F-1300, F-1325, F-1650 or FC-1350 (See page 14).
 See pages 13, 15 & 16 for required adapters, deflectors, and dispenser baffles. ¹Use JC-0995 remote condenser and RT()R-404A tubing kit (see page 7). Kit K00347 ice deflector must be ordered separately if used with: non-Manitowoc bins, Manitowoc F-Style bins and Manitowoc B-750, B-1050, B-1100, and B-1400 bins.

i-1200 Series




W 30" D 24.50" H 29.50"
 *1205 lbs. daily at 70/50°
 *930 lbs. daily at 90/70°

ID-1202A	Air Cooled	Dice	241 lbs.	\$11,347	\$11,547
ID-1203W	Water Cooled	Dice	245 lbs.	\$11,347	\$11,547
IY-1204A	Air Cooled	Half Dice	252 lbs.	\$11,347	\$11,547
IY-1205W	Water Cooled	Half Dice	245 lbs.	\$11,347	\$11,547

Optional Configurations:


LuminIce® Growth Inhibitor (Add "X" to end of model number) + \$604 + \$604



Not Stackable

Recommended Bins: B-570, C-730S, B-970, F-1300, F-1325, F-1650 or FC-1350 (See page 14).
 See pages 13, 15 & 16 for required adapters, deflectors, and dispenser baffles. Kit K00347 ice deflector must be ordered separately if used with: non-Manitowoc bins, Manitowoc F-Style bins and Manitowoc B-750, B-1050, B-1100, and B-1400 bins.

i-1406 Series



W 48" D 24.50" H 29.50"
 *1,659 lbs. daily at 70/50°
 *1,308 lbs. daily at 90/70°



Not Stackable

Model	Condenser Type	Cube Size	Shipping Weight	208-230/60/1-261	208-230/60/3-263
ID-1406A	Air Cooled	Dice	292 lbs.	\$11,864	\$12,064
ID-1406W	Water Cooled	Dice	298 lbs.	\$11,864	\$12,064
ID-1496N	Remote Air ¹	Dice	293 lbs.	\$11,718	\$11,918
IY-1406A	Air Cooled	Half Dice	292 lbs.	\$11,864	\$12,064
IY-1406W	Water Cooled	Half Dice	294 lbs.	\$11,864	\$12,064
IY-1496N	Remote Air ¹	Half Dice	298 lbs.	\$11,718	\$11,918

Optional Configurations:


LuminIce® Growth Inhibitor (Add "X" to end of model number)	+ \$604	+ \$604
Correctional Model (Add "P" to end of model number)	+ \$843	+ \$843

Recommended Bins: B-970, F-1300, F-1325, F-1650 or FC-1350 (See page 14).

See pages 15 & 16 for required adapters and deflectors.

¹Use JC-1395 remote condenser and RL()R-404A tubing kit (see page 7). Kit K00349 ice deflector must be ordered separately if used with: non-Manitowoc bins, Manitowoc F-Style bins and Manitowoc B-1100, and B-1400 bins.

i-1800 Series



W 48" D 24.50" H 29.50"
 *1,860 lbs. daily at 70/50°
 *1,455 lbs. daily at 90/70°



Not Stackable

Model	Condenser Type	Cube Size	Shipping Weight	208-230/60/1-261	208-230/60/3-263
IR-1800A	Air-Cooled	Regular	317 lbs	\$14,632	\$14,832
IR-1890N	Remote Air ¹	Regular	324 lbs	\$14,498	\$14,698
ID-1802A	Air Cooled	Dice	317 lbs.	\$14,632	\$14,832
ID-1803W	Water Cooled	Dice	319 lbs.	\$14,632	\$14,832
ID-1892N	Remote Air ¹	Dice	324 lbs.	\$14,498	\$14,698
IY-1804A	Air Cooled	Half Dice	321 lbs.	\$14,632	\$14,832
IY-1805W	Water Cooled	Half Dice	322 lbs.	\$14,632	\$14,832
IY-1894N	Remote Air ¹	Half Dice	330 lbs.	\$14,498	\$14,698

Optional Configurations:


LuminIce® Growth Inhibitor (Add "X" to end of model number)	+ \$604	+ \$604
Correctional Model (Add "P" to end of model number)	+ \$843	+ \$843

Recommended Bins: B-970, F-1300, F-1325, F-1650 or FC-1350 (See page 14).
 See pages 15 & 16 for required adapters and deflectors.


¹Use JC-1395 remote condenser and RL()R-404A tubing kit (see page 7). Kit K00349 ice deflector must be ordered separately if used with: non-Manitowoc bins, Manitowoc F-Style bins and Manitowoc B-1100, and B-1400 bins.

MODULAR CUBE

S-3300 Series



W 48" D 31" H 36"
 *3,380 lbs. daily at 70/50°
 *2,784 lbs. daily at 90/70°



Not Stackable

HP-High Pressure option

Model	Condenser Type	Cube Size	Shipping Weight	208-230/60/3-263
SD-3303W3	Water Cooled	Dice	501 lbs.	\$25,238
SD-3303W3HP	Water Cooled	Dice	501 lbs.	\$26,615
SY-3305W3	Water Cooled	Half Dice	516 lbs.	\$25,238
SY-3305W3HP	Water Cooled	Half Dice	516 lbs.	\$26,615

Recommended Bins: F-1300, F-1325, F-1650 or FC-1350 (See page 14).

See pages 15 & 16 for required adapters and deflectors.


Not for use with AuCS cleaning system.

Kit K00391 ice deflector must be ordered separately if used with: non-Manitowoc bins, Manitowoc 48" & 60" F-Style bins and Manitowoc B-1100, and B-1400 bins.

★ ENERGY STAR® Qualified Model

*Daily ice production based on half-dice air-cooled condenser model at air temperature/water temperature. S-3300 based on water-cooled condenser.

MARINE ICE CUBE MACHINES (WATER-COOLED ONLY)



i-606

W 30" D 24.50" H 21.50"

i-906

W 30" D 24.50" H 26.50"

i-1406

W 48" D 24.50" H 29.50"


i-1800

W 48" D 24.50" H 29.50"

Series	Model	70°/50°	90°/70°	Cube Size	Ship Weight	208-230/60/1 -261M	208-230/60/3 -263M	460/60/3 -463M
i-606	ID-0606W	661 lbs.	575 lbs.	Dice	194 lbs.	\$8,873		
	IY-0606W	700 lbs.	580 lbs.	Half Dice	195 lbs.	\$8,873		
i-906	ID-0906W	839 lbs.	701 lbs.	Dice	212 lbs.	\$10,868	\$11,068	\$11,768
	IY-0906W	879 lbs.	786 lbs.	Half Dice	218 lbs.	\$10,868	\$11,068	\$11,768
i-1406	ID-1406W	1,430 lbs.	1,325 lbs.	Dice	303 lbs.	\$13,334	\$13,534	\$14,234
	IY-1406W	1,460 lbs.	1,330 lbs.	Half Dice	309 lbs.	\$13,334	\$13,534	\$14,234
i-1800	ID-1803W	1,880 lbs.	1,670 lbs.	Dice	334 lbs.	\$16,433	\$16,633	\$17,333
	IY-1805W	1,890 lbs.	1,750 lbs.	Half Dice	337 lbs.	\$16,433	\$16,633	\$17,333

Not stackable.


STANDARD REMOTE AIR-COOLED CONDENSER



Model	For use with Remote Ice Machine	Shipping Weight	115/60/1 -161	208-230/60/1 -261
JC-0495	i-500 Series	64 lbs.	\$1,391	
JC-0895	i-606	78 lbs.		\$1,777
JC-0995	i-906 Series and i-1106 Series	78 lbs.		\$1,814
JC-1395	i-1406 and i-1800 Series	80 lbs.		\$1,854

NOTE: For coated condenser coils, add \$200 to list price. This option is recommended for high salt spray environments. Must be requested at time of order.

STANDARD REMOTE TUBING KITS & ACCESSORIES



Kit	For use with Series	Tubing Length	Shipping Weight	Suggested List Price
RT-20-R-404A	i-500, 606, 906, 1106 - Precharged	20 ft.	10 lbs.	\$396
RT-35-R-404A	i-500, 606, 906, 1106 - Precharged	35 ft.	15 lbs.	\$488
RT-50-R-404A	i-500, 606, 906, 1106 - Precharged	50 ft.	22 lbs.	\$587
RL-20-R-404A	i-1406, 1800 - Precharged	20 ft.	11 lbs.	\$396
RL-35-R-404A	i-1406, 1800 - Precharged	35 ft.	17 lbs.	\$488
RL-50-R-404A	i-1406, 1800 - Precharged	50 ft.	23 lbs.	\$587

ACCESSORY

K-00129	Remote Coupling Kit needed for non-Manitowoc Tubing	2 lbs.	\$135
----------------	---	--------	--------------


*NOTE: Manitowoc remote systems are only approved and warranted as a complete new package. Replacing an ice machine with an S or Indigo Remote model requires a **NEW** condenser and line set. Use of a new multi-circuited condenser is approved when sized and installed as outlined in Manitowoc Product Information. Rack system applications are not approved.*

TOP AIR DISCHARGE KIT


Kit	For use with Series	Shipping Weight	Suggested List Price
K-00379	Indigo (450, 500, 606) models & S Series (450, 500, 600).	18 lbs.	\$349
K-00438	Indigo or S Series 320 and 520.	18 lbs.	\$349
K-00439	Indigo 906.	18 lbs.	\$349
K-00449	Indigo 1106 and 1200.	18 lbs.	\$349

QUIETQUBE® ICE MACHINES


QuietQube® Ice Machines



i-686C
W 30" D 24.50" H 21.50"
i976C
W 30" D 24.50" H 26.50"
i1176C
W 30" D 24.50" H 29.50"




i-1470C
W 30" D 24.50" H 25.00"
i-1870C / i-2170C
W 30" D 24.50" H 29.50"



S-3070C
W 48" D 31" H 36"

Ice/Bev Ice Machines



IB-696C
W 22" D 14" H 24"
IB-890C
W 22" D 14" H 26.50"
IB-1090C
W 22" D 14" H 30.50"

Series	Model	Daily Ice Production		Cube Shape	Shipping Weight	115/60/1 -161
		70/50°	90/70°			
i-686C	ID-0686C	607 lbs.	520 lbs.	Dice	143 lbs.	\$6,603★
	IY-0686C	634 lbs.	530 lbs.	Half Dice	146 lbs.	\$6,603★
i-976C	ID-0976C	796 lbs.	696 lbs.	Dice	158 lbs.	\$8,103★
	IY-0976C	816 lbs.	714 lbs.	Half Dice	161 lbs.	\$8,103★
i-1176C	ID-1176C	1,016 lbs.	882 lbs.	Dice	171 lbs.	\$8,902★
	IY-1176C	1,046 lbs.	900 lbs.	Half Dice	174 lbs.	\$8,902★
i-1470C	ID-1472C	1,330 lbs.	1,136 lbs.	Dice	174 lbs.	\$10,584★
	IY-1474C	1,425 lbs.	1,200 lbs.	Half Dice	179 lbs.	\$10,584★
i-1870C	ID-1872C	1,715 lbs.	1,375 lbs.	Dice	210 lbs.	\$13,095
	IY-1874C	1,810 lbs.	1,470 lbs.	Half Dice	210 lbs.	\$13,095
i-2170C	ID-2176C	1,919 lbs.	1,613 lbs.	Dice	210 lbs.	\$13,340
	IY-2176C	1,951 lbs.	1,691 lbs.	Half Dice	210 lbs.	\$13,340
S-3070C	SD-3072C	2,850 lbs.	2,233 lbs.	Dice	423 lbs.	\$25,786
	SY-3074C	2,910 lbs.	2,299 lbs.	Half Dice	423 lbs.	\$25,786
IB-696C	IB-0696YC	625 lbs.	555 lbs.	Half Dice	122 lbs.	\$7,523★
IB-890C	IB-0894YC	865 lbs.	732 lbs.	Half Dice	130 lbs.	\$8,752★
IB-1090C	IB-1094YC	1,070 lbs.	910 lbs.	Half Dice	148 lbs.	\$9,480★

Optional Configurations:

LuminIce® Growth Inhibitor (Add "X" to end of model number)


+ \$604

Note: LuminIce® not available on S-3070C models.

Not Stackable


Ice deflector K-00383 required for two i-1470, i-1870 or i-2170 units side by side. Single i-1470, i-1870 or i-2170 requires K-00385 when installing on B-970 ice storage bin or K-00382 when installing on non-Manitowoc bin. Single i-1470, i-1870 or i-2170 requires K-00386 when

installing on C-730 ice storage bin. Kit not to be used when installing on ice dispenser. i-686C, i-976C, and i-1070C require ice deflector K-00347 for F-Style or non-Manitowoc bins. S-3070C requires ice deflector K-00391 for F-Style or non-Manitowoc bins.




Ice Maker

+



Condensing Unit

+



Tubing

=


QuietQube®
or
Ice/Beverage
Ice Making
Components¹

NOTE: Manitowoc remote systems are only approved and warranted as a complete new package. Replacing an ice machine with an Indigo or S-remote model requires a NEW condenser and line set. Only Manitowoc CVD condensing units are approved with QQ and IB Series machines.

¹Ice dispenser or storage bin with appropriate adapter also required. Order all separately. NOTE: K-00336 dispenser thermostat kit optional. Recommended for high humidity location to reduce equipment sweating. Included with IB ice machines.


★ ENERGY STAR® Qualified Model

CONDENSING UNITS



W 34" D 24.13" H 25.75"

iCVD-0696
iCVD-0996
iCVD-1195
iCVD-1496
iCVD-1895
RCU-1075
RCU-1275
RCU-2375



W 53" D 26" H 25.75"

iCVD-2096
CVD-3085

Model	Condenser Type	For use with	Shipping Weight	208-230/60/1 -261	208-230/60/3 -263
ICVD-0696	Air-Cooled	i-686C, IB-696C	178 lbs.	\$2,702	\$2,809
ICVD-0996	Air-Cooled	i-976C, IB-890C	183 lbs.	\$2,948	\$3,056
ICVD-1195	Air-Cooled	i-1176C, IB-1090C	208 lbs.	\$3,115	\$3,222
ICVD-1496	Air-Cooled	i-1470C	190 lbs.	\$3,408	\$3,515
ICVD-1895	Air-Cooled	i-1870C	195 lbs.	\$4,214	\$4,321
ICVD-2096	Air-Cooled	i-2170C	266 lbs.	\$6,886	\$6,993
CVD-3085	Air-Cooled	S-3070C	268 lbs.		\$8,865
RCU-1075	Air-Cooled	RN-1078C/RFS-1278C	200 lbs.	\$2,805	\$2,912
RCU-1098	Air-Cooled	RNS-1078C	200 lbs.	\$2,805	\$2,912
RCU-1275	Air-Cooled	RN-1278C	220 lbs.	\$2,959	\$3,066
RCU-2375	Air-Cooled	RFS-2378C	250 lbs.		\$3,791

NOTE: For coated condenser coils, add \$200 to list price. This option is recommended for high salt spray environments. Must be requested at time of order.


CONDENSING UNITS

QUIETQUBE® & IB REMOTE TUBING KITS & ACCESSORIES

Kit	Indigo-Series Remote Tubing Kits	Shipping Weight	Suggested List Price
RC-26	20' tubing length for iCVD-0696, 0996 and 1195 condensing units. Not precharged.	12 lbs.	\$274
RC-36	30' tubing length for iCVD-0696, 0996 and 1195 condensing units. Not precharged.	17 lbs.	\$394
RC-56	50' tubing length for iCVD-0696, 0996 and 1195 condensing units. Not precharged.	27 lbs.	\$630
RC-25	20' tubing length for iCVD-1496, and 1895 condensing units. Not precharged.	14 lbs.	\$304
RC-35	30' tubing length for iCVD-1496, and 1895 condensing units. Not precharged.	20 lbs.	\$453
RC-55	50' tubing length for iCVD-1496, and 1895 condensing units. Not precharged.	31 lbs.	\$717
RC-28	20' tubing length for iCVD-2096 condensing units. Not precharged.	17 lbs.	\$391
RC-38	30' tubing length for iCVD-2096 condensing units. Not precharged.	25 lbs.	\$677
RC-58	50' tubing length for iCVD-2096 condensing units. Not precharged.	39 lbs.	\$1,100
K-00166	S-Trap kit for iCVD-1496, 1895, 2095, and CVD-3085 condensing units with line set rise over 20'	1 lb.	\$72
K-00172	S-Trap kit for Indigo Series iCVD-0696, 0996, and 1195 condensing units with line set rise over 20'	1 lb.	\$72
K-00435	50 ft. communication Wire kit for Indigo QuietQube (included with all Indigo RC tubing kits)		\$108
Kit	Flake, Nugget, S-3070C Tubing Kits		
RC-21	20' tubing length for RCU condensing units. Not precharged.	12 lbs.	\$218
RC-31	30' tubing length for RCU condensing units. Not precharged.	17 lbs.	\$322
RC-51	50' tubing length for RCU condensing units. Not precharged.	27 lbs.	\$524
RC-24	20' Tubing length for CVD-3085	37 lbs.	\$574
RC-34	30' Tubing length for CVD-3085	47 lbs.	\$836
RC-54	50' Tubing length for CVD-3085	73 lbs.	\$1,353
*IB ADAPTER FOR CORNELIUS DISPENSER: Ordered and shipped from Manitowoc Ice			
K-00340	For 22" wide Enduro 150 for McDonald's ABS unit	26 lbs.	\$927
K-00341	24.5" Enduro 175	27 lbs.	\$1,016
K-00342	30" Enduro 200/250	31 lbs.	\$1,151
K-00343	44" Enduro 300	46 lbs.	\$1,373
IB ACCESSORY			
K-00436	IB-1090C Back Enclosure Kit (for IB-1090C only)	10 lbs.	\$228

QUIETQUBE® & IB REMOTE TUBING KITS & ACCESSORIES

RF-0244 / RF-0266



RF-0244A W 19.69" D 25.98" H 33.17"
RF-0266A W 19.69" D 25.98" H 37.50"
 *205 lbs. daily at 70/50°
 *151 lbs. daily at 90/70°

Model	Condenser Type	Ice Shape	Shipping Weight	115/60/1 -161	208-230/60/1 -261	208-230/60/3 -263
RF-0244A	Air Cooled	Flake Ice	157 lbs.	\$6,666 ★		
RF-0266A	Air Cooled	Flake Ice	168 lbs.	\$6,853★		

Ice storage capacity: RF-0244A = 40 lbs.
 RF-0266A = 60 lbs.

Includes 6' power cord with NEMA 5-15P plug.
 Use cleaner (000000084) only with this model.
 Not compatible with AuCS or LuminIce®.

RF-0385 / RF-0399



RF-0385A W 29.06" D 27.17" H 39.52"
RF-0399A W 29.06" D 27.17" H 46.16"
 *350 lbs. daily at 70/50°
 *273 lbs. daily at 90/70°

RF-0385A	Air Cooled	Flake Ice	224 lbs.	\$7,346★		
RF-0399A	Air Cooled	Flake Ice	240 lbs.	\$7,902★		

Ice storage capacity: RF-0385A = 88 lbs.
 RF-0399A = 120 lbs.

Includes 6' power cord with NEMA 5-15P plug.
 Use cleaner (000000084) only with this model.
 Not compatible with AuCS or LuminIce®.

RF-0644




W 29.17" D 26.69" H 45.96"
 *707 lbs. daily at 70/50°
 *510 lbs. daily at 90/70°

RF-0644A	Air Cooled	Flake Ice	258 lbs.	\$10,369★		
-----------------	------------	-----------	----------	------------------	--	--

Ice storage capacity: 120 lbs.

Includes 6' power cord with NEMA 5-15P plug.
 Use cleaner (000000084) only with this model.
 Not compatible with AuCS or LuminIce®.

RFS-0300



W 22" D 23.6" H 26"
 *389 lbs. daily at 70/50°
 *286 lbs. daily at 90/70°




Recommended Bins: B-320 or B-420 (See page 14).
 See pages 15 & 16 for required adapters.

Use cleaner (000000084) only with this model.
 Not compatible with SPA/SFA dispensers, AuCS, or LuminIce®. **Not Stackable**

Model	Condenser Type	Ice Shape	Shipping Weight	115/60/1 -161	208-230/60/1 -261	208-230/60/3 -263
RFS-0300A	Air Cooled	Flake Ice	174 lbs.	\$6,530		

RFS-0650



W 22" D 23.6" H 26"
 *760 lbs. daily at 70/50°
 *540 lbs. daily at 90/70°











Recommended Bins: B-320 or B-420 (see page 14).
 See pages 15 & 16 for required adapters.

Use cleaner (000000084) only with this model.
 Not compatible with SPA/SFA dispensers, AuCS, or LuminIce®. **Not Stackable**

RFS-0650A	Air Cooled	Flake Ice	230 lbs.	\$8,253	\$8,303★	
RFS-0650W	Water Cooled	Flake Ice	230 lbs.	\$8,253	\$8,303	

★ **ENERGY STAR® Qualified Model**

*Daily ice production based on air-cooled condenser model at air temperature/water temperature.



	Model	Condenser Type	Ice Shape	Shipping Weight	115/60/1 -161	208-230/60/1 -261	208-230/60/3 -263
RFS-1200		RFS-1200A	Air Cooled	Flake Ice	263 lbs.		\$11,053
		RFS-1200W	Water Cooled	Flake Ice	263 lbs.		\$11,053
	 Recommended Bins: B-400, B-570, B-970 ¹ (See page 14). See pages 15 & 16 for required adapters. ¹ B-970 bin requires 48" B-style bin adapter K-00370						
	Use cleaner (000000084) only with this model. Not compatible with SPA/SFA dispensers, AuCS, or LuminIce®. Not Stackable						
	W 30" D 23.6" H 27.4" *1,287 lbs. daily at 70/50° *874 lbs. daily at 90/70°						
RFS-1270		RFS-1270C**	QuietQube Remote	Flake Ice	186 lbs.		\$9,231★
		RFS-1279R	Low-Side/Rack	Flake Ice	186 lbs.		\$9,231
	 Recommended Bins: B-320, B-420, B-970 ¹ (See page 14). See pages 15 & 16 for required adapters. ¹ B-970 bin requires 48" B-style bin adapter K-00368						
	Use cleaner (000000084) only with this model. Not compatible with SPA/SFA dispensers, AuCS, or LuminIce®. Not Stackable						
	W 22" D 23.6" H 26" *1,152 lbs. daily at 70/50° *958 lbs. daily at 90/70°						
RF-2300		RF-2300A	Air Cooled	Flake Ice	452 lbs.		\$20,675
		RF-2300W	Water Cooled	Flake Ice	452 lbs.		\$20,675
	 Recommended Bins: F-1300, F-1325, F-1650, FC-1350 (See page 14). No additional adapter needed, use top provided with bin.						
	Use cleaner (000000084) only with this model. Not compatible with SPA/SFA dispensers, AuCS, or LuminIce®. Not Stackable						
	W 36.77" D 26.92" H 27.56" *2,419 lbs. daily at 70/50° *1,665 lbs. daily at 90/70°						
RFS-2370C		RFS-2370C**	QuietQube Remote	Flake Ice	279 lbs.		\$17,100★
		RFS-2379R	Low-Side/Rack	Flake Ice	282 lbs.		\$17,100
	 Recommended Bins: B-970 (See page 14). See pages 15 & 16 for required adapters. ¹ B-970 bin requires 48" B-style bin adapter K-00370						
	Use cleaner (000000084) only with this model. Not compatible with SPA/SFA dispensers, AuCS, or LuminIce®. Not Stackable						
	W 30" D 23.6" H 27.4" *2,169 lbs. daily at 70/50° *1,702 lbs. daily at 90/70°						

★ ENERGY STAR® Qualified Model

*Daily ice production based on air-cooled condenser model at air temperature/water temperature.

COUNTERTOP NUGGET

RNS-12 / RNS-20



W 16.25" D 24" H 35" W 16.25" D 24" H 42"
 *261 lbs. daily at 70/50° *261 lbs. daily at 70/50°
 *187 lbs. daily at 90/70° *187 lbs. daily at 90/70°


Model	Condenser Type	Ice Shape	Shipping Weight	115/60/1 -161
RNS-12A	Air Cooled	Nugget	184 lbs.	\$8,030
RNS-12AT	Air Cooled	Nugget	184 lbs.	\$8,321
RNS-20A	Air Cooled	Nugget	198 lbs.	\$9,707
RNS-20AT	Air Cooled	Nugget	198 lbs.	\$9,998

Note Dispensing Type: "A" model is lever activated and "AT" model is sensor activated.
 3 dispensing options: ice, water, and ice/water together. Bin capacity is 12 lbs. and 20 lbs. Legs sold separately. **Use cleaner (000000084) only with this model.** Not compatible with AuCS.

Kit	Description	Electrical	Shipping Weight	Suggested List Price
K-00345	Leg kit (Adjustable: 4.5"–6.5")	—	3 lbs.	\$112
K-00377	Kit to convert from lever activated to touchless sensing dispensing option	115/60/1	3 lbs.	\$381
K-00453	RNS Stand	—	100 lbs.	\$884

UNDERCOUNTER NUGGET

RNS-0244




RNS-0244A W 19.69" D 25.98" H 33.17"
 *145 lbs. daily at 70/50°
 *117 lbs. daily at 90/70°

Model	Condenser Type	Ice Shape	Shipping Weight	115/60/1 -161	208-230/60/1 -261
RNS-0244A	Air Cooled	Nugget	157 lbs.	\$6,188★	

Ice storage capacity: RNS-0244A = 40 lbs.

Includes 6' power cord with NEMA 5-15P plug.
 Use cleaner (000000084) only with this model.
 Not compatible with AuCS or LuminIce®.

RNS-0385



RNS-0385A W 29.06" D 27.17" H 39.52"
 *302 lbs. daily at 70/50°
 *248 lbs. daily at 90/70°

RNS-0385A	Air Cooled	Nugget	224 lbs.	\$7,313★	
-----------	------------	--------	----------	----------	--


Ice storage capacity: RNS-0385A = 88 lbs.

Includes 6' power cord with NEMA 5-15P plug.
 Use cleaner (000000084) only with this model.
 Not compatible with AuCS or LuminIce®.

*Daily ice production based on air-cooled condenser model at air temperature/water temperature.

MODULAR NUGGET

RNS-0308



W 22" D 23.6" H 26"
 *315 lbs. daily at 70/50°
 *251 lbs. daily at 90/70°


Model	Condenser Type	Ice Shape	Shipping Weight	115/60/1 -161	208-230/60/1 -261	208-230/60/3 -263
RNS-0308A	Air Cooled	Nugget	174 lbs.	\$5,894		

Not Stackable. Use cleaner (000000084) only with this model.

All dispenser manufacturers require a nugget ice adapter kit. Contact dispenser manufacturer for the kit that fits your application.

Not compatible with SPA/SFA dispensers, AuCS, or LuminIce®.

RNS-0600



W 22" D 23.6" H 26"
 *591 lbs. daily at 70/50°
 *451 lbs. daily at 90/70°


RNS-0608A	Air Cooled	Nugget	210 lbs.	\$8,323★		
RNS-0609W	Water Cooled	Nugget	210 lbs.	\$8,323		

Not Stackable. Use cleaner (000000084) only with this model.

All dispenser manufacturers require a nugget ice adapter kit. Contact dispenser manufacturer for the kit that fits your application.

Not compatible with SPA/SFA dispensers, AuCS, or LuminIce®.

RNS-1000



RNS-1008A/
 RNS-1009W: W 30" D 23.62" H 27.36"
 RNS-1078C: W 22" D 23.62" H 27.36"
 RNS-1008A/ *1078 lbs. daily at 70/50°
 RNS-1009W: *825 lbs. daily at 90/70°
 RNS-1078C: *1131 lbs. daily at 70/50°
 *900 lbs. daily at 90/70

RNS-1008A	Air Cooled	Nugget	275 lbs		\$11,153 ★	
RNS-1009W	Water Cooled	Nugget	275 lbs		\$11,153	
RNS-1078C**	QuietQube Remote	Nugget	195 lbs	\$10,320 ★	\$10,422 ★	

**Requires RCU1098 remote condensing unit and RC-21, 31, 51 tubing kit.




Not Stackable. Use cleaner (000000084) only with this model.

All dispenser manufacturers require a nugget ice adapter kit. Contact dispenser manufacturer for the kit that fits your application.



Not compatible with SPA/SFA dispensers, AuCS, or LuminIce®.

*Daily ice production based on air-cooled condenser model at air temperature/water temperature.

★ ENERGY STAR® Qualified Model

	Model	Condenser Type	Ice Shape	Shipping Weight	115/60/1 -161	208-230/60/1 -261
RN-400		RN-0408A	Air Cooled	Tubular Nugget	183 lbs.	\$7,162
	W 22" D 24.50" H 26.50" *403 lbs. daily at 70/50° *294 lbs. daily at 90/70°	<p>Not Stackable. Use cleaner (000000084) only with this model.</p> <p>All dispenser manufacturers require a nugget ice adapter kit. Contact dispenser manufacturer for the kit that fits your application.</p> <p>Not for use with SPA/SFA dispensers. Not compatible with AuCS. Electrical 115/60/1/only Includes 7' (2m) power cord with NEMA 5-20 right angle plug.</p>				
RN-1000 / RN-1400		RN-1008A	Air Cooled	Tubular Nugget	273 lbs.	\$11,125
		RN-1009W	Water Cooled	Tubular Nugget	273 lbs.	\$11,125
		RN-1408A	Air Cooled	Tubular Nugget	303 lbs.	\$14,841
		RN-1409W	Water Cooled	Tubular Nugget	303 lbs.	\$14,841
		W 30" D 24.50" H 26.50" RN-1000: *1118 lbs. daily at 70/50° *821 lbs. daily at 90/70° RN-1400: *1385 lbs. daily at 70/50° *979 lbs. daily at 90/70°	<p>Not Stackable. Use cleaner (000000084) only with this model.</p> <p>All dispenser manufacturers require a nugget ice adapter kit. Contact dispenser manufacturer for the kit that fits your application.</p> <p>Not compatible with SPA/SFA dispensers, AuCS, or LuminIce®. Electrical 208-230/60/1/only</p>			
K-00417 Sponge Cleaning Kit	1 lb.	\$31				
RN-1078C / RN-1278C		RN-1078C**	QuietQube Remote Cooled	Tubular Nugget	194 lbs.	\$10,134
		RN-1278C***	QuietQube Remote Cooled	Tubular Nugget	201 lbs.	\$11,930
		W 22" D 24.5" H 26.5" RN-1078C: *898 lbs. daily at 70/50° *713 lbs. daily at 90/70° RN-1278C: *1154 lbs. daily at 70/50° *962 lbs. daily at 90/70°	<p>**Requires RCU1075 remote condensing unit and RC-21, 31, 51 tubing kit. ***Requires RCU1275 remote condensing unit and RC-21, 31, 51 tubing kit.</p> <p>Not Stackable. Use cleaner (000000084) only with this model.</p> <p>All dispenser manufacturers require a nugget ice adapter kit. Contact dispenser manufacturer for the kit that fits your application.</p> <p>Not compatible with SPA/SFA dispensers, AuCS, or LuminIce®.</p> <p>Condensing Unit: 208-230/60/1 or 208-230/60/3 Electrical 115/60/1 only. Includes 7' (2m) power cord with NEMA 5-15 right angle plug.</p>			
K-00417 Sponge Cleaning Kit	1 lb.	\$31				

*Daily ice production based on air-cooled condenser model at air temperature/water temperature.

	Model	Description	Shipping Weight	115/60/1 -161	208-230/60/1 -261	
SPA-160 Series		SPA-160 Push for Ice	120 lb. storage, floor standing dispenser.	166 lbs.	\$5,618	\$5,668
		SRA-164 Room card	120 lb. storage, floor standing dispenser.	171 lbs.	\$5,787	\$5,837
		SCA-163 Coin operated	25-cent coin only. 120 lb. storage, floor standing dispenser.	168 lbs.	\$7,042	\$7,092
		SFA-191	120 lb. storage, floor standing dispenser with water valve.	167 lbs.	\$6,616	\$6,666
	W 22" D 31.19" H* 54"	Patented "Push for Ice" rocking chute dispense mechanism. Adjustable (6"-7.5") stainless steel legs included. Accepts single 22" Dice or Half Dice size ice machine (order separately). S and Indigo 22" ice machines require K-00348 baffle (included with dispenser).				
SPA-310 Series		SPA-310 Push for Ice	180 lb. storage, floor standing dispenser.	210 lbs.	\$6,365	\$6,415
		SRA-340 Room card	180 lb. storage, floor standing dispenser.	216 lbs.	\$6,541	\$6,591
		SCA-330 Coin operated	25-cent coin only. 180 lb. storage, floor standing dispenser.	215 lbs.	\$7,726	\$7,776
		SFA-291	180 lb. storage, floor standing dispenser with water valve.	214 lbs.	\$7,491	\$7,541
	W 30" D 32" H* 60.50"	Patented "Push for Ice" rocking chute dispense mechanism. Adjustable (6"-7.5") stainless steel legs included. Accepts single 22" (K-00365 adapter required) or 30" Dice or Half Dice size machines no larger than the i906. Indigo 30" machines require the K-00346 baffle (included with the dispenser).				


*Includes 6" adjustable leg

TUBULAR NUGGET

DISPENSERS

ICE STORAGE BINS

B-STYLE



W 30" D 29.50" H 25" W 22" D 34" H 38" W 30" D 34" H 38" W 22" D 34" H 50" W 30" D 34" H 50" W 48" D 34" H 50"

Model	Storage Capacity*		Shipping Weight	Suggested List Price
	AHRI/Lbs.	Cu. Ft.		
B-170	150	6.1	62 lbs.	\$1,468
B-320	210	8.9	75 lbs.	\$1,678
B-400	290	12.3	91 lbs.	\$1,846
B-420	310	12.9	108 lbs.	\$1,920
B-570	430	17.9	115 lbs.	\$2,089
B-970**	710	29.7	150 lbs.	\$2,952



Model	Indigo Accessory	Shipping Weight	Suggested List Price
K-00426	22" Bin Level Control* (B-320 & B-400)	5 lbs.	\$465
K-00427	33" Bin Level Control* (B-420, B-570 & B-970)	5 lbs.	\$519


*Bin level control overall length dimension includes holding bracket.

Bin Level Control only for use with Indigo-Series ice machines on B-Style bins.

One set of stainless steel legs included in bin price for B-Series bin. Height includes bin legs set at 6.00". Legs adjust from 6.00" to 7.75". For bin adapters and ice deflector kits, please see page 16.

F-STYLE

Large Capacity



W 30" D 31"† H 58.5" W 48" D 31"† H 63.5" W 60" D 31"† H 54.5" W 60" D 31"† H 63.5" W 60" D 40"† H 73.5"

†Snout adds 8" to depth of ice bin.

Model	Storage Capacity*		Shipping Weight	Suggested List Price
	AHRI/Lbs.	Cu. Ft.		
F-700	680	20.3	195 lbs.	\$4,817
F-1300	1320	38	292 lbs.	\$6,075
F-1325	1325	39.7	300 lbs.	\$6,366
F-1650	1660	47.7	327 lbs.	\$7,074
FC-1350	1350	39.9	700 lbs.	\$18,117

Model	Accessory	Shipping Weight	Suggested List Price
K-00412	46.5" Paddle (for 31" deep F Bins)	5 lbs.	\$171
K-00414	Shovel	10 lbs.	\$171
K-00416	Totes Carrier, Set of 6	34 lbs.	\$1,070
K-00418	Replacement Cart	75 lbs.	\$2,672
K-00419	58.5" Paddle (for FC-1350 Bin)	6 lbs.	\$171

One set of stainless steel legs included in bin price. Height includes bin legs set at 6.00". Legs adjust from 6.00" to 7.50". †Bin includes adapter for one 30" or 48" Indigo or S-Series Cuber 300 to 1800 (see chart page 16). An Ice deflector is required for all F-Style bins sold separately (see chart on page 16 to identify the correct one.)

For use with Manitowoc ice machines only

C-STYLE



W 42" D 31.50" H 46"

DuraTech™ exterior. Bin door is gray ABS to match S-Model ice machine trim color. Bin leg is bullet design, adjustable from 6.00" to 7.00".

Model	Storage Capacity*		Shipping Weight	Suggested List Price
	AHRI/Lbs.	Cu. Ft.		
C-730S*	560	23.3	155 lbs.	\$2,548

One set of nickel plated brushed legs included in bin price. Height includes bin legs set at 6.00". Legs adjust from 6.00" to 7.00".

K00023 Bin Adapter to place 30" ice maker on to bin. **\$142.**
*Includes K-00023 adapter to mount 30" ice machine to bin. Use K-00386 ice deflector with S-1470C, S-1870C or S-2170 on C-730 Bin.

**Previous C-950 bin requires K-00119 bin deflector when using S-22", S-30" or S-48". Use K-00385 ice deflector with S-1470, S-1870C or S-2170C on B-970

*AHRI storage capacity for bins is based on 80% of total volume in cubic feet x 30 lb./ft.3 average density of ice.

Marine Bins

Model	Dimensions W x D x H*	Shipping Weight	Suggested List Price
MB-3044	30" x 34" x 44"	260 lbs.	\$11,654
MB-4844	48" x 34" x 44"	300 lbs.	\$13,156

One set of nickel plated brushed legs included in bin price. *Height does not include bin legs. Legs adjust from 6.00" to 7.50". Ice deflector included with bin.

Outer and inner cabinet - 18 ga 304 stainless, cove corners in liner, stainless steel 6" flanged legs. Stainless steel ice scoop, 1-year warranty - material and workmanship.

BIN ADAPTERS & ICE DEFLECTOR KITS

Kit	Adaption	Shipping Weight	Suggested List Price
K-00365	22" S, Indigo, RFS, RN or RNS Ice Machine to 30" B Bins and S Dispensers. Not for IB	8 lbs.	\$181
K-00117	22" S, Indigo, RFS, RNS or RN-400 Ice Machine to C-730S Bin. Not for IB	10 lbs.	\$279
K-00195	22" IB Series to 22" B-320 or B-420 Bin or 22" S Dispensers	10 lbs.	\$314
K-00196	22" IB Series to B-170, 400 or 570 Bin or 30" S Dispensers	15 lbs.	\$339
K-00368	22" Q, S, Indigo, RFS, RN or RNS Ice Machine to B-970 Bin. Not for IB	18 lbs.	\$295
K-00371	Two RN-1078C, RN-1278C or RNS-1078C to B-970 Bin (water-cooled or QuietQube only)	8 lbs.	\$252
K-00370	30" S, Indigo, RFS, RN or RNS Ice Machine to 48" B-970 Bin. No weight limit	34 lbs.	\$423
K-00369	30" S or Indigo Ice Machine to 48" B-970 Bin. Weight limit 180 lbs. maximum (Series 300, 450, 500 only.)	13 lbs.	\$308
K-00156	30" S, Indigo or RN Ice Machine to C-900 or C-950 Bin – includes ice deflector	14 lbs.	\$314
K-00157	30" S, Indigo or RN Ice Machine to C-970 Bin	10 lbs.	\$324
K-00170	Ice deflector required on Manitowoc F-Style, or Non-Manitowoc bins for all Q-600, Q-800, and Q-1000 Series	6 lbs.	\$172
K-00139	Ice deflector required for Q-1800 on F-Style or non-Manitowoc bin	8 lbs.	\$187
K-00119	Ice deflector required for Q-1800, i-1406 or i-1800 on C-900 and C-950 bin	8 lbs.	\$148
K-00211	Ice deflector required for Q-Dual on non-Manitowoc or F-Style bins	11 lbs.	\$172
K-00382	Ice deflector required for i-1470C, i-1870C or i-2170C on non-Manitowoc or F-Style bins	8 lbs.	\$174
K-00383	Ice deflectors required for two i-1470C, i-1870C or i-2170C units side by side on F-Style or non-Manitowoc bins	18 lbs.	\$290
K-00385	Adaptor and ice deflector required for i-1470C, i-1870C or i-2170C on B-970. Before installation remove deflector in B-970 bin prior to installing K-00385	32 lbs.	\$523
K-00386	Adaptor and ice deflector required for i-1470C, i-1870C or i-2170C on C730 bin.	7 lbs.	\$267
K-00347	Ice deflector required for 30" S or Indigo ice machines on non-Manitowoc or F-Style bins	6 lbs.	\$172
K-00349	Ice deflector required for 48" S or Indigo ice machine on non-Manitowoc F-Style bins	12 lbs.	\$203
K-00391	Ice deflector set required for S-3300 ice machine on non-Manitowoc or 48" or 60" F-Style bins	17 lbs.	\$562
K-00404	30" bin adapter kit for 25.2" RF Flake Ice Machines	11 lbs.	\$246
K-00405	48" bin adapter kit for 25.2" RF Flake Ice Machines	28 lbs.	\$317
K-00420	Filler Panel Kit allows 22" RN-1078C, RN-1278C or RNS-1078C to be placed on F-Style Bins with 30" opening (for use with adapter included with bin)	5 lbs.	\$176
K-00421	Filler Panel Kit allows two side by side 22" RN-1078C, RN-1 278C or RNS-1078C to be placed on 60" F-Style Bins with two 30" openings (requires K-603030 or K-613030)	5 lbs.	\$176
K-00422	Adapter for RF-2378C Flaker and B-970 Bin	28 lbs.	\$444
K-302200	Adapter for 22" RFS or RNS on F-700 bin	40 lbs.	\$836
K-302500	Adapter for 25.2" RF Flaker on F-700 bin	40 lbs.	\$836
K-303000	Adapter for 30" S or Indigo Cuber on F-700 bin	40 lbs.	\$491
K-483048	Adapter for 30" & 48" S or Indigo Cuber on F-1300 bin	45 lbs.	\$898
K-482500	Adapter for 25.2" RF Flaker on F-1300 bin	45 lbs.	\$780
K-603048	Adapter for 30" & 48" S or Indigo Cuber on F-1325 and F-1650 bins	52 lbs.	\$1,040
K-602500	Adapter for 25.2" RF Flaker on F-1325 and F-1650 bins	52 lbs.	\$1,040
K-604800	Adapter for S-3070C & S-3300 on F-1325 and F-1650 bins	52 lbs.	\$1,174
K-603030	Adapter for two 30" S or Indigo Cuber units side by side on F-1325 and F-1650 bins (remote or water-cooled only)	52 lbs.	\$1,040
K-613048	Adapter for 30" & 48" S or Indigo Cuber on F-1350 bin	60 lbs.	\$1,410
K-612500	Adapter for 25.2" RF Flaker on F-1350 bin	60 lbs.	\$1,410
K-614800	Adapter for S-3070C & S-3300 on F-1350 bin	60 lbs.	\$1,571
K-613030	Adapter for two 30" S or Indigo Cuber units side-by-side on F-1350 bin (remote or water-cooled only)	60 lbs.	\$1,410

MISCELLANEOUS

Kit	Description	Shipping Weight	Suggested List Price
K-00457	DISPENSER THERMOSTAT KIT - For use with S-Series. For use on dispensers only. Reduces ice machine overflow and condensation problems. Replaces K-00364.	2 lbs.	\$319
K-00446	DISPENSER THERMOSTAT KIT - For use with Indigo Series for use with dispensers only. Reduces ice machine overflow and condensation problems.	2 lbs.	\$215
K-00210	DISPENSER BAFFLE - required for 30" Q-Series Manitowoc ice machine on non-Manitowoc and Q-dispensers. (Q-dispensers include this adapter.)	3 lbs.	\$70
K-00346	DISPENSER BAFFLE - required for use with any Manitowoc 30" S or Indigo Series ice machine in a dispenser application. Dispenser baffle is included with S-Series dispenser, no need to order. NOT required for i-1470, i-1870 and i-2170.	3 lbs.	\$70
K-00348	DISPENSER BAFFLE - required for use with any Manitowoc 22" S or Indigo Series ice machine in a dispenser application. Dispenser baffle is included with S-Series dispenser, no need to order. NOT required for i-1470, i-1870 and i-2170.	3 lbs.	\$78
K-00336	ELECTRONIC BIN THERMOSTAT - for IB dispenser or QF-400 flake ice machines using Ro/Di water. Included on all IB ice machines.	2 lbs.	\$328
K-00395	S-3300 BIN THERMOSTAT KIT - For use with S-3300	3 lbs.	\$462
K-00400	CUP DISPENSING CHUTE KIT - Narrower Dispenser chute for cup dispensing applications.	2 lbs.	\$94
K-00433	INDIGO DISPLAY COVER - Adheres to button guard bezel, which ships attached to ice maker, to completely hide display from exterior view. For use with all Indigo models.	1 lb.	\$18

BIN ADAPTERS & ICE DEFLECTOR KITS FOR CURRENT MODELS

ICE MACHINE

BIN

	i-320 ³ & i-520 ³	i-300 ⁴	i-450 ⁴ & i-500 ⁴	i-606 ⁴	i-906 ⁴ i-1106 ⁴ & i-1200 ⁴	i-1406 ⁵ & i-1800 ⁵
B-170	K-00365				N/A	N/A
B-320		N/A	N/A	N/A	N/A	N/A
B-400	K-00365					N/A
B-420		N/A	N/A	N/A	N/A	N/A
B-570	K-00365					N/A
B-970	K-00368	K-00369	K-00369	K-00370	K-00370	
C-730²	K-00117					N/A
C-900/950	N/A	K-00156	K-00156	K-00156	K-00156	K-00119
C-970	N/A		K-00157	K-00157	K-00157	
F-700⁸	N/A		K-00347	K-00347	K-00347	N/A
F-1300⁸	N/A		K-00347	K-00347	K-00347	K-00349
F-1325⁸ F-1650⁸	N/A		K-00347	K-00347	K-00347	K-00349
FC-1350⁸	N/A		K-00347	K-00347	K-00347	K-00349
SPA-160		N/A	N/A	N/A	N/A	N/A
SPA-310	K-00348 & K-00365					N/A
Non-Manitowoc Dispensers	K-00348	K-00346	K-00346	K-00346	K-00346	N/A

ICE MACHINE

BIN

	i-686C ⁴ , i-906C ⁴ i-1070C ⁴	i-1470C ^{1,6} i-1870C ^{1,6} i-2170C ^{1,6}	IB-696C IB-890C & IB-1090C	RN-400 RN-1078C RN-1278C RNS-0308 RNS-0600 RNS-1078C	RFS-0300 RFS-0650 RFS-1278C RFS-1279R	RN-1000 RN-1400 RFS-1200 RNS-1000 RFS-2378C RFS-2379R	RF-2300	S-3300 ⁷ S-3070C ⁷
B-170	N/A	N/A	K-00196	K-00365	K-00365		N/A	N/A
B-320	N/A	N/A	K-00195			N/A	N/A	N/A
B-400		N/A	K-00196	K-00365	K-00365		N/A	N/A
B-420	N/A	N/A	K-00195			N/A	N/A	N/A
B-570		N/A	K-00196	K-00365	K-00365		N/A	N/A
B-970	K-00369	K-00385	N/A	K-00368	K-00368	K-00370	N/A	N/A
C-730²		K-00386	N/A	K-00117	K-00117		N/A	N/A
C-900/950	K-00156	N/A	N/A	N/A	N/A	K-00156	N/A	N/A
C-970	K-00157	N/A	N/A	N/A	N/A	K-00157	N/A	N/A
F-700⁸	K-00347		N/A	K-302200	K-302200			N/A
F-1300⁸	K-00347		N/A	N/A	N/A			Not Required
F-1325⁸, F-1650⁸	K-00347		N/A	K-00421 & K-603030	K-00421 & K-603030			K-604800
FC-1350⁸	K-00347		N/A	K-00421 & K-613030	K-00421 & K-613030			K-614800
SPA-160	N/A	N/A	K-00195	N/A	N/A	N/A	N/A	N/A
SPA-310		N/A	K-00196	N/A	N/A	N/A	N/A	N/A
Non-Manitowoc Dispensers	K-00346	N/A	N/A	N/A	N/A	N/A	N/A	N/A

1 K-00382 ice deflector for i-1470C, i-1870C or i-2170C on F-Style and non-Manitowoc bins.

2 The K-00023 bin adapter is shipped with the C-730 bin.

3 When putting two 22" units on B-970 bin use K-00371 – water-cooled or CVD remote only.

4 When installing 30" Indigo single evaporator machine on F-Style and non-Manitowoc bins K-00347 deflector is required.

5 When installing 48" Indigo single evaporator machine on non-Manitowoc bin K-00349 deflector is required.

6 K-00383 for use with two i-1470C, i-1870C, or i-2170C units side by side on 60" F-Style Bins.

7 K-00391 Ice Deflector Kit when installing S-3300 on bin application.

8 Adapter included for single head application unless otherwise noted.

Note: Shaded area indicates NOT a product application.

Accessory prices are now included in the Standard Equipment Suggested Price List.

AuCS® AUTOMATIC CLEANING SYSTEM

Kit	Description	Shipping Weight	Suggested List Price
AuCS-A	Automatic Cleaning System Accessory for ice machine Series Q-280 through Q-1800, and Q-Dual. Not available for the QM/Q undercounter series or with flake and nugget ice machines. This model uses bottles 000005163/000005162 or 000005165/000005164.	12 lbs.	\$761
AuCS-SI	Automatic Cleaning System Accessory for ice machine Series S-450, S-500, S-600, S-850, S-1000, S-1200, S-1400, S-1600 and S-1800 only. This option is installed inside of the machine and works with bottle part number 40-1326-3 and 40-1327-3. Empty bottles are included with the accessory and can be filled with gallon container 94-0580-3 and 94-0581-3. Power to the AuCS is supplied by the machine. When ordering, indicate electrical requirements; 115 volt 60 Hz – AuCS-SI-161 and 230 volt 50/60 Hz – AuCS-SI-271.	1 lb.	\$761
AuCS-SO	Automatic Cleaning System Accessory for ice machine S-300, S-322, S-422, S-1470C, S-1870C, S-2170C, and IB series. Cannot be used with S-3070C, S-3000, nugget, flake and undercounter units. This option is installed on the outside of the machine and works in conjunction with cleaner and sanitizer bottle numbers 000005163/000005162 or 000005165/000005164. Installed outside of machine, but electrical is supplied from the machine. When ordering, indicate electrical requirements; 115 volt 60 Hz – AuCS-SO-161, and 230 volt 50/60 Hz – AuCS-SO-271.	11 lbs.	\$761
iAuCS	Automatic Cleaning System Accessory for all Indigo Series ice machines 300 to 1800. Cannot be used with Indigo IB Series, S-Series, nugget, flake and undercounter units. This option is installed on the outside of the machine and works in conjunction with cleaner and sanitizer bottle numbers 000005163/000005162 or 000005165/000005164. Installed outside of machine but electrical is supplied from the machine. When ordering, indicate electrical requirements; 115 volt 60 Hz –iAuCS-161, and 230 volt 60 Hz – iAuCS-261.	11 lbs.	\$761
iBAuCS	Automatic Cleaning System Accessory for Indigo IB Series ice machines: IB-690C, IB-890C and IB-1090C. Cannot be used with Indigo Series ice machines 300 to 1800, S-Series, nugget, flake and undercounter units. This option is installed on the outside of the machine and works in conjunction with cleaner and sanitizer bottle numbers 000005163/000005162 or 000005165/000005164. Installed outside of machine. Electrical requirements 115 volt 60 Hz. Includes 10' power cord with NEMA 5-15P plug.	11 lbs.	\$761

Note: AuCS Automatic Cleaning System cannot be used with flake and nugget ice machines.

LUMINICE II® GROWTH INHIBITOR

Kit	Description	Shipping Weight	Suggested List Price
K-00450	LuminIce Growth Inhibitor Kit for Indigo i-300 to i-1200, and QuietQube i-680C to i-1070C. Replaces K-00424.	5 lbs.	\$643
K-00451	LuminIce Growth Inhibitor Kit for Indigo IB Series, QuietQube i-1470C, i-1870C, i-2170C and 48" i-1406 and i-1800 models. Replaces K-00434.	5 lbs.	\$643
K-00452*	LuminIce Growth Inhibitor kit for NEO U140 to U310. Replaces K-00440	5 lb.	\$643
K-00425	Replacement LuminIce Bulb. for LuminIce first generation only.	1 lb.	\$94
K-00454	Replacement LuminIce II bulb for LuminIce II only	1 lb.	\$94
K-00455	Remote LuminIce II external LED indicator	1 lb.	\$55

*Cannot be factory installed. Only available as an aftermarket installed product.

REPLACEMENT CLEANER / SANITIZER for Cubers Only

Kit	Description	Shipping Weight	Suggested List Price
000005163 000005165	Bottle replacements for AuCS-A, AuCS-SO, and iAuCS	8 lbs.	\$139
	Cleaner: 16 oz. bottle (sold in case of 4) Sanitizer: 16 oz. bottle (sold in case of 4) Non-hazardous labeling for USA shipment only	8 lbs.	\$147
000005162 000005164	Cleaner: 16 oz. bottle (sold in case of 12)	18 lbs.	\$265
	Sanitizer: 16 oz. bottle (sold in case of 12) Hazardous labeling	15 lbs.	\$265
94-0580-3 94-0581-3	Refills for all AuCS Systems	45 lbs.	\$265
	Cleaner: one gallon container (sold in case of 4) Sanitizer: one gallon container (sold in case of 4) Hazardous labeling	36 lbs.	\$269

Note: The cleaning and sanitizing fluids are the same chemistry for all AuCS systems. The bottles used with the AuCS-SI are custom to the machine and included with the original system. If bottle replacements are needed for AuCS-SI, they are 9405543 and 9405443 available through Parts Dept. The gallon bottles can be used for refills on any system.

REPLACEMENT CLEANER / SANITIZER for SM-50, BG, Flake & Nugget

000000084	Metal-safe cleaner for SM-50, Flake & Nugget ice machines - 16 oz. bottles (sold in case of 12) – non-hazardous labeling for USA shipment only	14 lbs.	\$290
000005164	Sanitizer: 16 oz. bottle (sold in case of 12) - hazardous labeling	15 lbs.	\$265
000005165	Sanitizer: 16 oz. bottle (sold in case of 4) - non-hazardous labeling for USA shipment only	8 lbs.	\$147

ACCESSORIES



CLEANAIR™ PACK			
Kit	Description	Shipping Weight	Suggested List Price
K-00206	6 ea. replacement packets, 1ea basket, 2 ea. thumb screws. For use in Q and S-Series ice machines only. Cannot be used with S-3070C, S-3000, Indigo, nugget, flake, or undercounter ice machines.	3 lbs.	\$250

ARCTIC PURE® – WATER FILTER			
Model	Description	Shipping Weight	Suggested List Price
AR-PRE	Pre-filter assembly includes head, shroud, hardware, mounting assembly, and one filter cartridge. Use on all Manitowoc machines.	3 lbs.	\$310
AR-10000	Primary filter assembly, includes head, shroud, hardware, mounting assembly, and one filter cartridge. See below for sizing guide.	4 lbs.	\$431
AR-20000	Primary filter assembly includes head, shroud, hardware, mounting assembly, and one filter cartridge. See below for sizing guide.	5 lbs.	\$736
AR-40000	Primary filter assembly, includes head, shroud, hardware, mounting assembly, and two filter cartridges. See below for sizing guide.	11 lbs.	\$1,252

Note: AR-PRE, AR-10000 and AR-20000 sold in master packs of six. AR-40000 sold individually.
Replacement Filter Cartridges

K-00374	AR-2800 replacement (sold in case of 12). Used with SM-50.	12 lbs.	\$919
K-00337	AR-PRE replacement (sold in case of 12)	24 lbs.	\$1,222
K-00338	AR-10000 replacement (sold in case of 12)	24 lbs.	\$1,317
K-00339	AR-20000/40000 replacement (sold in case of 6)	18 lbs.	\$860
K-00344	Bin bracket for Arctic Pure water filter	4 lbs.	\$78
K-00173	Tri-L Pre-filter (sold in case of 12)	5 lbs.	\$258
K-00174	Tri-L Primary filter (sold in case of 12)	24 lbs.	\$1,660

SIZING GUIDE

Ice Machine	Model			
	AR-PRE	AR-10000	AR-20000	AR-40000
QM30	•	•		
QM45	•	•		
Q-270	•	•		
U-140	•	•		
U-190	•	•		
U-240	•	•		
U-310	•	•		
BG-260	•	•		
QF-400	•	•		
Q-1800	•			•
i-300	•	•		
i-320	•	•		
i-520	•	•		
i-450	•	•		
i-500	•	•		
i-606	•	•		
i-906	•		•	
i-1106	•			•
i-1200	•			•
i-1406	•			•
i-1800	•			•
i-1470C	•			•
i-1870C	•			•
i-2170C	•			•
IB-696C	•	•		
IB-890C	•		•	
IB-1090C	•		•	

Ice Machine	Model			
	AR-PRE	AR-10000	AR-20000	AR-40000
RNS-12/20	•	•		
RNS-308	•	•		
RNS-600	•	•		
RNS-1000	•		•	
RNS-1078C	•		•	
RN-400	•	•		
RN-1000	•			•
RN-1078C	•		•	
RN-1278C	•			•
RN-1400	•			•
RF-0244	•	•		
RF-0266	•	•		
RF/RFS-0300	•	•		
RF-0385	•	•		
RF-0399	•	•		
RF/RFS-0650	•		•	
RF/RFS-1200	•		•	
RF/RFS-1278C	•		•	
RF/RFS-1279R	•		•	
RF-2300	•		•	
RF/RFS-2378C	•			•
RF/RFS-2379R	•			•

The S-3300 is not compatible with existing filters.



CONVENIENT ICE BAGGER			
Kit	Description	Shipping Weight	Suggested List Price
K-00146	Ice bagger assembly, includes bagger, B-Model bin adapter, and 250 bags and ties. Stainless steel finish.	25 lbs.	\$639
K-00068	Replacement Bags/Ties Bag Kit - includes 1,000 bags (4 wickets of 250) and ties.	34 lbs.	\$367



ICE SCOOP			
Kit	Description	Shipping Weight	Suggested List Price
3302583	6 oz. clear scoop for QM and SM Series (each)	2 lbs.	\$25
040002930	22 oz. blue scoop (Used with Neo undercounter units.)	3 lbs.	\$24
3302603	32 oz. white scoop (each) (Used for B-170 and Q-Series undercounter units.)	3 lbs.	\$15
3302593	82 oz. white scoop (each) (Used for ice bin B-320 and up.)	5 lbs.	\$15



DRAIN PUMP			
Kit	Description	Shipping Weight	Suggested List Price
K-00376	Drain Pump for SM-50A. Used where gravity drain not available. 12' rise and 100' run maximum.	7 lbs.	\$534

LEGS & CASTERS			
Model	Description	Shipping Weight	Suggested List Price
K-00063	2.5" Casters. For use with NEO, Q-Series (not QM), and B-170 bin. 4 ea. non-locking swivel.	2 lbs.	\$279
K-00064	2.5" Casters. For use with NEO, Q-Series (not QM), and B-170 bin. 2 ea. locking swivel and 2 ea. non-locking swivel.	2 lbs.	\$301
K-00153	4.625" Adjustable Flange Foot - stainless steel	5 lbs.	\$236
K-00176	4" leg for QM30 or QM45 - black painted	3 lbs.	\$126
K-00215	QM Series leveler legs, adjusts from .5" to 1.25" - 1/2-13 thread	1 lbs.	\$62
K-00137	6" Adjustable Flange Foot - stainless steel for S and B Series bins	6 lbs.	\$236
K-00151	6" Adjustable Flange Foot- Gray painted for S bins and Neo under counters	5 lbs.	\$138
K-00145	6" Adjustable Secured Flange Foot - stainless steel	6 lbs.	\$321
K-00144	12" Adjustable Flange Foot - stainless steel. Can use with undercounter machines and B170 and B400 Bin. Not for use with 22" unit, stacked units, dispensers, or the QM series.	8 lbs.	\$321
K-00138	Adjustable Caster Legs, 7.625" - 8.625" - stainless steel. Not for use with 22" unit, or any stacked units, dispensers, QMs or RF flakers. 2-locking casters and 2 non-locking per set.	16 lbs.	\$661
K-00350	6" Adjustable Legs - stainless steel standard on B-Series bins.	5 lbs.	\$112
K-00345	Leg kit for SM-50 & RNS12/20 series ice machines. Adjustable 4.5"-6.5".	3 lbs.	\$112
K-00445	1.125" Non-adjustable foot. For use with NEO.	2 lbs.	\$63

Scan the code below to locate a dealer, distributor or sales representative in your area.



www.mtwfsusa.com/minisite/sales/buylocally



COMPANY WITH
QUALITY SYSTEM
CERTIFIED BY DNV
= ISO 9001:2008 =

Manitowoc Foodservice is a global leader in foodservice operations that speaks the language of our partners from sales to aftercare. Purchasing equipment is easy with Manitowoc Finance, which offers direct, low-rate financing options for the equipment you need today. Manitowoc KitchenCare® helps service, maintain, and protect your foodservice equipment and facility throughout the lifecycle of your business. Being fluent is more than understanding equipment; it is an understanding of your foodservice business. If you're ready to talk foodservice, Manitowoc speaks your language.

Our best in class brands include: Cleveland, Convothem®, Dean®, Delfield®, Frymaster®, Garland®, Kolpak®, Koolaire®, Kysor Panel Systems®, Lincoln, Manitowoc® Beverage Systems, Manitowoc® Ice, Merco®, Merrychef®, Multiplex®, RDI Systems, Servend®, U.S. Range & Welbilt®